

## LED Module Clío G2

- Fits well in slim ceiling luminaires up to 550mm in diameter
- Easy and flexible installation
- Shadow free, homogeneous light diffusion and 100% light instant on
- High efficacy up to 100 lm/W
- Integrated driver, connects directly to 220-240V
- Including magnets and connection box
- Movement detector accessory available for 12W & 16W



See appendix 1 for dimmer compatibility list

## Specifications

Item Code	Item Description	Equivalent to (W)	Power (W)	Lumen	Efficacy (lm/W)	CCT (K)	Energy Level	Weight (kg/pc)
140066573	LED E C module 12W 2700K Clío CT	GLS 75W	12	1000	82	2700	A+	0.10
140066574	LED E C module 12W 4000K Clío CT	GLS 75W	12	1100	91	4000	A+	0.10
140066575	LED E C module 16W 2700K Clío CT II	GLS 100W	16	1400	87	2700	A+	0.17
140066576	LED E C module 16W 4000K Clío CT II	GLS 100W	16	1600	100	4000	A+	0.17
140066204	LED E C module 22W DIM 2700K Clío CT	CFL TC-DD/PL-Q 28W	22	1800	83	2700	A+	0.24
140066205	LED E C module 22W DIM 4000K Clío CT	CFL TC-DD/PL-Q 28W	22	2000	91	4000	A+	0.24
140066206	LED E C module 36W DIM 2700K Clío CT	CFL TC-DD/PL-Q 38W	36	2800	78	2700	A	0.49
140066207	LED E C module 36W DIM 4000K Clío CT	CFL TC-DD/PL-Q 38W	36	3000	83	4000	A+	0.49

## Accessories



140060553  
LED Module sensor CT

Sensor only for 12W and 16W.  
Sensor range 12m.

### Technical Specifications



Lifespan (L70B50)	30,000 h
Lifespan (L80B50)	20,000 h
On-/Off-cycles	100,000
Dimmable	No / Yes (22W/36W)
Beam angle	150 °
Colour rendering index CRI	≥ 80
Degree of protection (IP)	IP20
Protection class	II
Control gear included	Yes

### Electrical Supply

Frequency	50/60 Hz
Nominal voltage	220-240 V
	AC
DC input voltage	No


### Ambient Conditions

Operating temperature	-20 ~ 40 °C
Application temperature	25 °C
Storage environment	-25 ~ 50 °C




## Dimensional Drawing (mm)


LED E C module 12W




LED E C module 16W



LED E C module 22W



LED E C module 36W



LED Module sensor CT

